


Divisible duct repair kit + Gas-stop



The Filoform divisible duct repair kit + Gas-stop is suitable for connecting and repairing subducts which contain a cable and creates an internal gas and waterstop. Our divisible sealing system enables you to install it easily onto to existing installations.

By applying the locking keys onto the shells the silicon insert is compressed and creates a firm external gas and watertight seal and also creates a high strain relief on the ducts.

The integrated gas-stop creates a firm gas and watertight seal up to 0,5 bar.

Rasgos

- Gas and water-stop up to 0,5 bar
- Universal gas-stop made from self amalgamating material, seals a cable sizes
- For connecting and repairing of damaged ducts
- Applicable for direct burying
- Suitable for retro fitting
- Easy installation
- Slim design
- Rubbers seals with color coding

Divisible duct repair kit + Gas-stop

Especificaciones

Dimensions

| | |
|--|--------------|
| Divisible repair kit 5 / 7 / 8 / 10 / 12 / 14 / 16mm | 42mm x 145mm |
| Divisible repair kit 18 / 20 / 25 | 49mm x 145mm |

Material specifications

| | |
|--|--|
| Material shells + closing keys | Glass fibre reinforced PA |
| Material insert | TPE |
| Material Gas-stop | SealpassBlack side: EPT-butyl rubberBrown side: Butyl rubber petroleum jelly |
| Seal tightness of divisible duct repair kits to duct | 0,5 bar |
| Seal tightness of gasblock to cable | 0,5 bar |

The measure-speed is 100mm/minTemperature 20°C

Pull strenght duct seal from the duct

| Duct size (OD) | Value (N) |
|----------------|-----------|
| 5mm | >100 N |
| 7mm | >125 N |
| 8mm | >160 N |
| 10mm | >200 N |
| 12mm | >250 N |
| 14mm | >350 N |
| 16mm | >500 N |
| 20mm | >550 N |

The measure-speed is 100mm/minTemperature 20°C

Tensile strength cable from duct repair kit with gas-stop

| Duct size | Cable size | Value (N) |
|-----------|------------|-----------|
| 7/4mm | 2,5mm | >17 N |
| 10/8mm | 5mm | >35 N |
| 12/8mm | 2,5mm | >17 N |
| 12/8mm | 7mm | >45 N |
| 14/10mm | 2,5mm | >17 N |
| 14/10mm | 7mm | >45 N |
| 16/12mm | 8mm | >45 N |
| 20/16mm | 12mm | >60 N |

Más información

Divisible duct repair kit with gasblock

14mm + GS


art.nr 823514GS

FILOform

connect ▶ seal ▶ protect ▶

www.filoform.com

www.filoform.co.uk



Divisible duct repair kit + Gas-stop

Productos

| Art.nr. | Product Naam | Color | Diámetro exterior del conducto (mm) | Unidad de embalaje |
|----------|-------------------------------------|----------|-------------------------------------|--------------------|
| 823505GS | Divisible duct repair kit 5mm + GS | gris | 5 | 10 pcs/carton |
| 823507GS | Divisible duct repair kit 7mm + GS | azul | 7 | 10 pcs/carton |
| 823508GS | Divisible duct repair kit 8mm + GS | naranja | 8 | 10 pcs/carton |
| 823510GS | Divisible duct repair kit 10mm + GS | rojo | 10 | 10 pcs/carton |
| 823512GS | Divisible duct repair kit 12mm + GS | verde | 12 | 10 pcs/carton |
| 823514GS | Divisible duct repair kit 14mm + GS | amarillo | 14 | 10 pcs/carton |
| 823516GS | Divisible duct repair kit 16mm + GS | violeta | 16 | 10 pcs/carton |
| 823520GS | Divisible duct repair kit 20mm + GS | verde | 20 | 10 pcs/carton |