

Divisible duct seals 25mm



Filoform divisible duct sealing sets for subducts have been developed to provide an effective and simple solution to all Gas and Watertight duct sealing requirements.

This modular system enables you to install it easily onto new and existing installations. Due to the compact design the seals can be installed in all situations, even in locations with difficult access.

For use on subducts of 25mm.


PATENTED

Rasgos

- Gas and Watertight up to 0,5 bar.
- Suitable for retrofitting.
- Easy installation.
- Slim design.
- Other versions available upon request.

Divisible duct seals 25mm

Especificaciones



Dimensions

Type	Dimension A	Dimension B	Weight (gr.)
25mm	40	37	26



Material specification

Plastic scales	glassfibre reinforced
Sealing plug	TPU
Sealing	up to 0,5 bar
Pull-out force duct seal vs duct	$\geq 250\text{N}$
Mechanical compression strength	$\geq 1000\text{N}$, 10 sec.

Más información

Contents

- 2 pieces of plastic shells with click together fixings
- 1 Synthetic rubber seal
- Illustrated installation instructions



Divisible duct seals 25mm

Productos

Art.nr.	Product Naam	Color	Diámetro exterior del conducto (mm)	Diámetro del cable (mm)	Unidad de embalaje
822825.2	Duct seal 25mm/3,7-4,7 mm	gris	25	3,7-4,7	25 pcs/carton
822825.3	Duct seal 25mm/4,7-6,5 mm	rosado/azul		4,7-6,5	25 pcs/carton
822825.4	Duct seal 25mm/6,5-8,5 mm	blanco		6,5-8,5	25 pcs/carton
822825.5	Duct seal 25mm/8,5-10 mm	rojo		8,5-10	25 pcs/carton
822825.6	Duct seal 25mm/10-12 mm	verde		10-12	25 pcs/carton
822825.7	Duct seal 25mm/12-14 mm	amarillo		12-14	25 pcs/carton