


## FttH entry 90°



Entry cover with a 90° bend radius to allow safe and secure bending of micro ducts / cables and blowing of the fibre after installation.

The 90° entry cover can be used with micro duct / cable sizes up to 12mm and includes space to accommodate a gas block connector.

To create a gas- and watertight seal in the duct opening we recommend the use of Filoform sealing paste MD+. The MD+ sealant is included in item 80218 & 80222.



### Rasgos

- Micro duct / cable sizes up to 12mm.
- Suitable for retrofitting.
- Screw mounted or optionally invisible mounted with the use of Filoform fixing anchor.
- Screw and plug are not included.
- Break out cover to accommodate a 16mm protective pipe in the cover.
- Flame retardant
- Suitable for indoor and outdoor use
- UV- and weatherability.
- Also available in kits together with MD1-FttH duct seal (80219.3 / 80219.6 / 80217.2).

## Especificaciones

### Dimensions

FttH entry 90° 1x4-8mm	121mm x 44mm x 26mm
FttH entry 90° 1x10-12 / 2x7mm	160mm x 40mm x 40mm

### Material specifications

Item nr. 80218	Item nr. 80222
FttH entry 90° 1x4-8mm	FttH entry 90° 1x10-12 / 2x7mm
Item nr. 80219.3	Item nr. 80219.6
SET - MD1-FttH + FttH entry 90° for 1x4-8mm	SET - MD1-FttH + FttH entry 90° for 1x10-12mm
Art.nr. 80217.2	
SET - MD1-FttH + FttH entry 90° for 2x7mm	

## Más información

### Assembly instructions

- [80218 - FttH entry 90° 1x4-8mm](#)
- [80222 - FttH entry 90° 1x10-12 / 2x7mm](#)
- [80219.3 - SET - MD1-FttH + FttH entry 90° for 1x4-8mm](#)
- [80219.6 - SET - MD1-FttH + FttH entry 90° for 1x10-12mm](#)
- [80217.2 - SET - MD1-FttH + 90° entry 2x7mm](#)

## Productos

Art.nr.	Product Naam	Diámetro de conducto mín.-máx. (mm)	Diámetro máximo del cable en el conducto (mm)	Unidad de embalaje
80218	FttH entry 90° 1x4-8mm (MD+)	Ø 10-25	4-8	set 25 pcs. + 1 cartridge MD+ sealant 310ml
80222	FttH entry 90° 1x10-12 / 2x7mm	Ø 22-32	10-12	set 6 pcs. + 1 cartridge MD+ sealant 310ml
80217.2	SET - MD1-FttH + FttH entry 90° for 2x7mm	Ø 22-32	2x7mm	per set
80219.3	SET - MD1-FttH + FttH entry 90° for 1x4-8mm	Ø 16-20	4-8	per set
80219.6	SET - MD1-FttH + FttH entry 90° for 1x10-12mm	Ø 22-25	10-12	per set